

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER OF PATENTS AND TRADEMARKS Washington Dec. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/582,175	06.21/2000	ARIANTO DARMAWAN	39629/DEP/R1	7850
75	90 09 11 2002			
CHRISTIE PARKER & HALE			EXAMINER	
PO BOX 7068			CINTINS, IVARS C	
PASADENA, CA 91109-7068				
			ART UNIT	PAPER NUMBER
			1724	77
			DATE MAILED: 09/11/2002	· ; /~

Please find below and/or attached an Office communication concerning this application or proceeding.

TC-25

Interview Summary

Application No. 09/582,175

Applicant(s)

Darmawan

Examiner

Ivars Cintins

Art Unit 1724

All participants (applicant, applicant's representative, PTC	) personnel):
(1) Ivars Cintins	(3)
(2) Mr. Constantine Marantidis	
Date of Interview Sep 9, 2002	_
Type: a) $X$ Telephonic b) Video Conference c) Personal [copy is given to 1] applicant	2) applicant's representative]
Exhibit shown or demonstration conducted: d) Yes	e) X No. If yes, brief description:
Claim(s) discussed: 6	
Identification of prior art discussed: Seibel & Astrom	
	d. g) $X$ was not reached. h) $\square$ N/A.
any other comments:  The claims will be amended to better define the invention.	
	ndments which the examiner agreed would render the claims ocopy of the amendments that would render the claims allowable is
i) It is not necessary for applicant to provide a sepa	arate record of the substance of the interview (if box is checked).
INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See Malready been filed, APPLICANT IS GIVEN ONE MONTH FR	MAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST PEP section 713.04). If a reply to the last Office action has ROM THIS INTERVIEW DATE TO FILE A STATEMENT OF THE ord of Interview requirements on reverse side or on attached
	IVARS CINTINS

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

Examiner's signature, if required

PRIMARY EXAMINER ART UNIT 1724